



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/598,343

08/24/2006

Marc Peuker

59606US007

2805

32692

7590

02/08/2011

3M INNOVATIVE PROPERTIES COMPANY

PO BOX 33427

ST. PAUL, MN 55133-3427

EXAMINER

ROSEN, ERIC J

ART UNIT

PAPER NUMBER

3732

NOTIFICATION DATE

DELIVERY MODE

02/08/2011

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

LegalUSDocketing@mmm.com

LegalDocketing@mmm.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/598,343	<b>Applicant(s)</b> PEUKER ET AL.	
	<b>Examiner</b> ERIC ROSEN	<b>Art Unit</b> 3732	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07 January 2011.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 20 and 24-35 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 20 and 24-35 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 20, 25, 27, 31, 33 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Broyles and in view of Dai et al (US 20070060894 A1).

3. Regarding claims 20, 33 and 35, Broyles discloses a delivery system 10/38 (figure 2) and 60 (figure 6) for controlled dispensing of a substance, the system comprising: a cartridge 12/22 having at least two compartments for storing material components to form a substance; a plunger 22 having at least two pistons (see "pistons" in figure 2 below) for sealing the respective compartments and advancing the material components in the at least two compartments; and a lever 30 and a geared connection rod (see "connection rod" in figure 2 below) for providing controlled dispensing of the substance, wherein the lever is integrally formed with at least a part of the cartridge (see figure 2; the lever 30 is integrally formed with element 20 of the cartridge during assembly), and wherein the geared connection rod (see "connection rod" in figure 2 below) is integrally formed with the plunger 22. Re. claim 27, Broyles further discloses a reservoir 60 (figure 6) for receiving the mixed substance). Re. claim 31, Broyles further discloses the cartridge comprises an actuator part 22 (element 20 also serves as an actuator part; figure 2) and a material receptacle 12 having at least two

Art Unit: 3732

compartments 14 for storing material components, the material receptacle being separable from the actuator part (element 22 is shown to be separable in figure 2). Re. claim 33, Broyles further discloses a substance for the treatment of caries (Col. 1, lines 45-46).

4. Broyles is silent regarding the delivery system comprising a self-opening closure system which seals the front ends of the compartments and would open when the plunger is advanced, the self-opening closure system comprising a plug that may be pushed forward upon movement of the plunger toward the front end of the cartridge. However, Speer discloses a delivery system comprising a self-opening closure system which seals the front ends of compartments and would open when the plunger is advanced (when advanced with enough force), the self-opening closure system comprising a plug 84 that may be pushed forward upon movement of the plunger toward the front end of the cartridge (when plunger pushed forward with enough force, the cap would be forced off/open). Therefore, it would be obvious to one of ordinary skill in the art, at the time the invention was made, to modify Broyles to include a self-opening closure system which seals the front ends of the compartments and would open when the plunger is advanced, the self-opening closure system comprising a plug that may be pushed forward upon movement of the plunger toward the front end of the cartridge, as taught by Speer, for the purpose of keeping the dispenser from leaking while not in use.



6. Regarding claims 20 and 35, Petersen discloses a delivery system 10 (figure 1) for controlled dispensing of a substance, the system comprising: a cartridge 12 (figure 2) having at least two compartments 18/16 (figure 2) for storing material components that may be mixed to form a substance; a plunger 50 (figure 2) having at least two pistons 32/44 (figure 2) for sealing the respective compartments and advancing the material components in the at least two compartments; and a lever 58 (figure 4) and a

Art Unit: 3732

geared connection rod 94 (figure 4B) for providing controlled dispensing of the substance.

7. Petersen further discloses the lever 58 (figure 3) is attached (indirectly) to a sleeve 66 (figure 3) and a pawl 98 engages with the lever so that upon each push of the lever, the pistons are caused to move forward, providing controlled dispensing of the substances.

8. Petersen also discloses wherein by pressing the lever, a pawl 98 (figure 4) engages with the connecting rod 94 (figure 4B; on underside of element 76 in figure 4) and thereby activates a plunger 50 (figure 2), and a piston 32/44 is moved forward.

9. Petersen is silent regarding the delivery system comprising a self-opening closure system which seals the front ends of the compartments and would open when the plunger is advanced, the self-opening closure system comprising a plug that may be pushed forward upon movement of the plunger toward the front end of the cartridge.

However, Speer discloses a delivery system comprising a self-opening closure system which seals the front ends of compartments and would open when the plunger is advanced (when advanced with enough force), the self-opening closure system comprising a plug 84 that may be pushed forward upon movement of the plunger toward the front end of the cartridge (when plunger pushed forward with enough force, the cap would be forced off/open). Therefore, it would be obvious to one of ordinary skill in the art, at the time the invention was made, to modify Petersen to include a self-opening closure system which seals the front ends of the compartments and would open when the plunger is advanced, the self-opening closure system comprising a plug

Art Unit: 3732

that may be pushed forward upon movement of the plunger toward the front end of the cartridge, as taught by Speer, for the purpose of keeping the dispenser from leaking while not in use.

10. Claims 20 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Epstein et al (US 6007515) in view of Dai et al (US 20070060894 A1).

11. Regarding claims 20 and 35, Epstein discloses a delivery system (figure 3) for controlled dispensing of a substance, the system comprising: a cartridge 30 having at least two compartments for storing material components that may be mixed to form a substance; a plunger 40 having at least two pistons 44 (figures 3 and 15) for advancing the material components in the at least two compartments; and a lever 22 and a geared connection rod 50 for providing controlled dispensing of the substance.

12. Epstein is silent regarding the delivery system comprising a self-opening closure system which seals the front ends of the compartments and would open when the plunger is advanced, the self-opening closure system comprising a plug that may be pushed forward upon movement of the plunger toward the front end of the cartridge. However, Speer discloses a delivery system comprising a self-opening closure system which seals the front ends of compartments and would open when the plunger is advanced (when advanced with enough force), the self-opening closure system comprising a plug 84 that may be pushed forward upon movement of the plunger toward the front end of the cartridge (when plunger pushed forward with enough force, the cap would be forced off/open). Therefore, it would be obvious to one of ordinary

Art Unit: 3732

skill in the art, at the time the invention was made, to modify Epstein to include a self-opening closure system which seals the front ends of the compartments and would open when the plunger is advanced, the self-opening closure system comprising a plug that may be pushed forward upon movement of the plunger toward the front end of the cartridge, as taught by Speer, for the purpose of keeping the dispenser from leaking while not in use.

13. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Broyles, in view of Speer and in view of Lokhandwala et al (US 20030186190 A1).

14. Regarding claim 24, Broyles/Speer discloses the claimed invention substantially as claimed, as set forth above for claim 20.

15. Broyles/Speer is silent regarding the lever and pawl being adapted to reset to their original positions after each activation without the presence of additional springs. However, Lokhandwala teaches a dispensing device comprising a lever and a pawl which are adapted to reset to their original positions after each activation without the presence of additional springs (paragraph 0019). Therefore it would be obvious to one of ordinary skill in the art, at the time the invention was made to modify Broyles/Speer by configuring the lever and pawl to reset to their original positions after each activation without the presence of additional springs, as taught by Lokhandwala, for the purpose of making the device simpler to manufacture.



16. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Epstein, in view of Speer, and further in view of Lokhandwala.

17. Regarding claim 26, Epstein/Speer discloses the claimed invention substantially as claimed, as set forth above for claim 20. Epstein/Speer is silent regarding a reinforcement member for hindering possible backlash movement of the connection rod, wherein a pawl is adapted to lift the reinforcement member and thereby release the connection rod. However, Lokhandwala teaches a reinforcement member 126 for hindering possible backlash movement of the connection rod 122, wherein a pawl 152 is adapted to lift the reinforcement member and thereby release the connection rod (Figure 1; paragraph 0019; the reinforcement member 126 is released with each stroke of the lever, wherein the pawl 152 pivots forward so as to push the plunger 120 forward). Therefore, it would be obvious to one of ordinary skill in the art, at the time the invention was made, to modify Epstein/Speer by including a reinforcement member for hindering possible backlash movement of the connection rod, wherein a pawl is adapted to lift the reinforcement member and thereby release the connection rod, as taught by Lokhandwala, for the purpose of preventing unwanted movement of the lever.

18. Claims 28-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Petersen, in view of Speer and further in view of Fukui (US 6544233 B1).

19. Regarding claims 28, 29, and 30, Petersen/Speer discloses the claimed invention substantially as claimed, as set forth above for claims 20 and 27. Petersen is silent regarding the reservoir comprising a sleeve which is movable over the exterior surface

Art Unit: 3732

of the cartridge and a cavity for receiving the substance exiting the cartridge, the cavity being formed by the interior surface of the sleeve and the exterior surface of the cartridge, wherein the cartridge is caused to move forward toward the cavity thereby providing controlled dispensing of the substance. However, Fukui teaches a reservoir comprising a sleeve 1 (figure 1A) which is movable over the exterior surface of a cartridge 6 (figures 1A and 1B) and a cavity 9 for receiving the substance exiting the cartridge, the cavity 9 being formed by the interior surface of the sleeve 1 and the exterior surface of the cartridge 6, wherein the cartridge is caused to move forward toward the cavity (figures 1A and 1B) thereby providing controlled dispensing of the substance. Therefore, it would be obvious to one of ordinary skill in the art, at the time the invention was made to modify Petersen/Speer by including the sleeve and integral parts, as taught by Fukui, with the cartridge disclosed by Petersen, for the purpose of allowing two substances to mix prior to being dispensed from the device. Upon modification of Petersen/Speer, as described above, the cartridge would act as a piston and be moved forward into the reservoir just as the pistons disclosed by Petersen are activated (as described above for claim 1).

20. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Broyles, in view of Speer, and further in view of Simonton.

21. Regarding claim 32, Broyles/Speer disclose the claimed invention substantially as claimed, as set forth above for claims 20 and 22. Broyles/Speer is silent regarding the system further comprising a brush. However, Simonton teaches a brush 32 (Figure

Art Unit: 3732

1) attached to a material dispenser. Therefore, it would be obvious to one of ordinary skill in the art, at the time the invention was made, to modify Broyles/Speer by attaching a brush to the system, as taught by Simonton, for the purpose of helping to facilitate the precise application of material (paragraph 0018).

22. Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Broyles, in view of Speer, further in view of Simonton, and further in view of Ferguson.

23. Regarding claim 34, Broyles/Speer/Simonton discloses the system according to claim 33, but is silent regarding a kit with a system according to claim 33, further comprising a glove. However, Ferguson teaches a kit 10 that holds a dispensing system 30 ("syringe") and a glove 52 (Figure 1). Therefore, it would be obvious to one of ordinary skill in the art, at the time the invention was made, to modify Broyles/Speer/Simonton by putting it in a kit with a glove, as taught by Ferguson, for the purpose of transporting the items together.

### ***Response to Arguments***

24. Applicant's arguments with respect to claims 20 and 24-35 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

25. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 3732

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ERIC ROSEN whose telephone number is (571)270-7855. The examiner can normally be reached on Monday-Friday, 9am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on (571)272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3732

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ERIC ROSEN/  
Examiner, Art Unit 3732

/Cris L. Rodriguez/  
Supervisory Patent Examiner, Art Unit 3732